ELSEVIER

Physica C 229 (1994) 411–414

PHYSICA C

Author index to volume 229

Adroja, D.T., B.D. Rainford, A.V. Volkozub and P.A.J. De Groot, Superconductivity in the Y–Pd–B–C system **229**, 193
Akimitsu, J., see M. Uehara **229**, 310
Akimitsu, J., see M. Kosugi **229**, 389
Aldinger, F., see P. Majewski **229**, 12
Andrikidis, C., see D.N. Matthews **229**, 403
Arima, T., see M. Uehara **229**, 310
Ashworth, S.P., Measurements of AC losses due to transport currents in bismuth superconductors **229**, 355

Bae, S.-J., see C.-H. Cho **229**, 129
Baert, M., see P. Lobotka **229**, 231
Barbiellini, B., M. Gauthier, L. Hoffmann, T. Jarlborg, A.A. Manuel, S. Massidda, M. Peter and G. Triscone, Electron-positron momentum density in $Tl_2Ba_2CuO_6$ **229**, 113
Beyss, M., see C.L. Jia **229**, 325
Bhattacharya, R.N., A. Duda, D.S. Ginley, J.A. DeLuca, Z.F. Ren, C.A. Wang and J.H. Wang, Superconducting thallium oxide films via an electro-deposited precursor **229**, 145
Bhattacharya, R.N. and R.D. Blaugher, Preparation of high-temperature superconductor oxide powders by electrodeposition **229**, 244
Bhattacharya, S., see M. Rajeswari **229**, 258
Blaugher, R.D., see R.N. Bhattacharya **229**, 244
Blomberg, M.K., see V.N. Molchanov **229**, 331
Braun, H.F., see H. Schmidt **229**, 315
Brison, J.P., P. Lejay, A. Buzdin and J. Flouquet, Specific heat of the antiferromagnetic heavy-fermion superconductor URu_2Si_2 **229**, 79
Brown, P., see P.D. Grant **229**, 289
Bruynseraede, Y., see P. Lobotka **229**, 231
Buzdin, A., see J.P. Brison **229**, 79

Cardwell, D.A., see L.Y. Su **229**, 70
Cava, R.J., see H.W. Zandbergen **229**, 29
Cava, R.J., see J.L. Sarrao **229**, 65
Chen, X.L., see J.R. Min **229**, 169
Cheong, S.-W., see D.S. Rodríguez **229**, 59
Chien, T.R., W.R. Datars, B.W. Veal, A.P. Paulikas, C. Gu and Y. Jiang, Dimensional crossover and oxygen deficiency in $YBa_2Cu_3O_x$ single crystals **229**, 273
Cho, C.-H., S.-J. Bae, W.-S. Shin, Y.-K. Kim, D.-S. Hwang, K.-S. No and J.S. Chun, Effects of the microstructure on the performance of microstrip line resonator made of MOCVD $YBa_2Cu_3O_x$ film **229**, 129
Cho, H.M., see L.C. Ku **229**, 320
Chun, J.S., see C.-H. Cho **229**, 129
Clinton, T., see M. Rajeswari **229**, 258
Cragg, A.R., see P.D. Grant **229**, 289

Dabrowski, B., see T. Kamiyama **229**, 377
Datars, W.R., see T.R. Chien **229**, 273
De Andrade, M.C., see H.W. Zandbergen **229**, 29
De Andrade, M.C., see J.L. Sarrao **229**, 65
De Groot, P.A.J., see D.T. Adroja **229**, 193
DeLuca, J.A., see R.N. Bhattacharya **229**, 145
Denhoff, M.W., see P.D. Grant **229**, 289
Dewhurst, C.D., see L.Y. Su **229**, 70
Dolgov, O.V., A.E. Karakozov, A.A. Mikhailovsky, B.J. Feenstra and D. Van der Marel, Observation of the Holstein shift in high-T_c superconductors with thermal-modulation reflectometry **229**, 396
Dong, C., see J.R. Min **229**, 169
Dou, S.X., see H.K. Liu **229**, 39
Dou, S.X., see D.N. Matthews **229**, 403
Duan, H.M., see S.-Y. Lin **229**, 346
Duda, A., see R.N. Bhattacharya **229**, 145

Ekino, T., see M. Kosugi **229**, 389

Fabbricatore, P., see H.R. Khan **229**, 165
Feenstra, B.J., see O.V. Dolgov **229**, 396
Fife, A.A., see P.D. Grant **229**, 289
Fisk, Z., see H.W. Zandbergen **229**, 29
Fisk, Z., see J.L. Sarrao **229**, 65
Flouquet, J., see J.P. Brison **229**, 79
Flükiger, R., see J.-C. Grivel **229**, 177
Forsthuber, M., see P. Lobotka **229**, 231
Fueki, K., see Y. Idemoto **229**, 47, 361
Furuya, M., see M. Kosugi **229**, 389

Gao, D., see X.-H. Gao **229**, 124
Gao, X.-H., D. Gao, J.-H. Li, J. Li and S.-F. Jiang, The kinetic relationships and activation energy of Bi-based superconducting phase formation **229**, 124
Gauthier, M., see B. Barbiellini **229**, 113
Gaži, Š., see P. Lobotka **229**, 231
Gielisse, P.J., see H. Niculescu **229**, 105

Ginley, D.S., see R.N. Bhattacharya **229**, 145
Gopalakrishnan, S. and W.A. Schulze, Stability of $Bi_2Sr_2CaCu_2O_8$ superconductor in molten halide salts **229**, 372
Goretta, K.C., see Z.F. Ren **229**, 137
Goringe, M.J., see L.Y. Su **229**, 70
Govorkov, S., see P.D. Grant **229**, 289
Grant, P.D., M.W. Denhoff, W. Xing, P. Brown, S. Govorkov, J.C. Irwin, B. Heinrich, H. Zhou, A.A. Fife and A.R. Cragg, Determination of current and flux distribution in squares of thin-film high-temperature superconductors **229**, 289
Green, S.M., see M.S. Hegde **229**, 239
Greene, R.L., see M.S. Hegde **229**, 239
Grivel, J.-C. and R. Flükiger, Effects of Au and Ag additions on the formation of the Bi(2223) phase **229**, 177
Grovenor, C.R.M., see L.Y. Su **229**, 70
Gu, C., see T.R. Chien **229**, 273
Guan, W.Y., see J.C. Ho **229**, 351

Hamilton, J., see M. Rajeswari **229**, 258
Han, S.H., see H.W. Zandbergen **229**, 29
Han, S.H., see J.L. Sarrao **229**, 65
Hegde, M.S., X.Q. Xu, J.L. Peng, H. Zhang, R.L. Greene and S.M. Green, Superconducting properties of $Yb_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ **229**, 239
Heinrich, B., see P.D. Grant **229**, 289
Hermann, A.M., see S.-Y. Lin **229**, 346
Hermann, J., see H.W. Zandbergen **229**, 29
Herrmann, J., see J.L. Sarrao **229**, 65
Hilscher, G., see P. Lobotka **229**, 231
Hinks, D.G., see T. Kamiyama **229**, 377
Hiroi, Z., see K. Yamaura **229**, 183
Hitterman, R.L., see T. Kamiyama **229**, 377
Ho, J.C., C.Y. Wu, K. Kumar, M.K. Wu, W.Y. Guan and Y.H. Xu, Calorimetric study of magnetic anomalies in $(Lu_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$ **229**, 351
Hoffmann, L., see B. Barbiellini **229**, 113
Horng, H.E., see L.C. Ku **229**, 320
Hwang, D.-S., see C.-H. Cho **229**, 129

Idemoto, Y., S. Kobayashi and K. Fueki, Phase diagrams and ionic defects in the 2212 and 2201 phases of the bismuth system **229**, 47
Idemoto, Y., M. Ohara and K. Fueki, Oxygen nonstoichiometry and T_c of the $La_{2-x}M_xM'Cu_2O_y$ (M, M'=Sr, Ca) superconductor **229**, 361
Ikegawa, S., Y. Motoi and T. Miura, Molecular beam epitaxial growth of superconducting $Pb_2Sr_2Dy_{1-x}Ca_xCu_3O_{8+\delta}$ thin films. Disordered surface layer during Pb deposition **229**, 280
Irwin, J.C., see P.D. Grant **229**, 289
Ishiyama, S., see M. Uehara **229**, 310
Izumi, F., see T. Kamiyama **229**, 377

Jarlborg, T., see B. Barbiellini **229**, 113
Jenkins, R., see L.Y. Su **229**, 70
Jergel, M., see P. Lobotka **229**, 231
Jia, C.L., Y.-H. Xu, M. Beyss, F. Peter and K. Urban, The nature of the superconducting phase in yttrium palladium boride carbide **229**, 325
Jian, W.B., see L.C. Ku **229**, 320
Jiang, S.-F., see X.-H. Gao **229**, 124
Jiang, Y., see T.R. Chien **229**, 273
Jones, H., see L.Y. Su **229**, 70
Jorgensen, J.D., see T. Kamiyama **229**, 377
Junod, A., K.-Q. Wang, T. Tsukamoto, G. Triscone, B. Revaz, E. Walker and J. Muller, Specific heat up to 14 tesla and magnetization of a $Bi_2Sr_2CaCu_2O_8$ single crystal Thermodynamics of a 2D superconductor **229**, 209

Kamiyama, T., F. Izumi, H. Takahashi, J.D. Jorgensen, B. Dabrowski, R.L. Hitterman, D.G. Hinks, H. Shaked, T.O. Mason and M. Seabaugh, Pressure-induced structural changes in $Nd_{2-x}Ce_xCuO_4$ (x=0 and 0.165) **229**, 377
Karakozov, A.E., see O.V. Dolgov **229**, 396
Kawai, T., see X. Li **229**, 251
Khan, H.R., O. Loebich, P. Fabbricatore, A. Sciutti and B. Zhang, Synthesis, X-ray diffraction and AC magnetic susceptibility investigations of $HgBa_2CuO_{4+\delta}$ **229**, 165
Kim, Y.-K., see C.-H. Cho **229**, 129
Kobayashi, S., see Y. Idemoto **229**, 47
Kosugi, M., J. Akimitsu, T. Uchida, M. Furuya, Y. Nagata and T. Ekino, Tunneling studies on $Ba_{1-x}K_xBiO_3$ single crystals with T_C=15–30K **229**, 389
Kronmüller, H., see H. Theuss **229**, 17
Ku, L.C., H.M. Cho, J.H. Lu, S.Y. Wang, W.B. Jian, H.C. Yang and H.E. Horng, Characteristics of $YBa_2Cu_3O_y$ step-edge Josephson junctions on MgO substrate **229**, 320
Kumar, K., see J.C. Ho **229**, 351
Kvam, E.P., Dislocation-induced flux pinning interactions in $YBa_2Cu_3O_7$ **229**, 90

Lejay, P., see J.P. Brison **229**, 79
Li, J., see X.-H. Gao **229**, 124
Li, J.-H., see X.-H. Gao **229**, 124
Li, J.Q., see Z.X. Zhao **229**, 35
Li, X. and T. Kawai, Diamagnetic and resistive properties of undoped and Na-doped $(Ca_{1-x}Sr_x)_{1-y}Na_yCuO_2$ (y=0–0.2) infinite-layer thin films grown by laser molecular beam epitaxy **229**, 251
Li, X.-G., see L.-B. Wang **229**, 263
Liang, J.K., see J.R. Min **229**, 169
Liang, W.-Y., see N.-H. Peng **229**, 268
Lin, S.-Y., X.-M. Wang, Y.-P. Wang, F. Ying, D.-L. Zhang, H.M. Duan and A.M. Hermann, Pressure-induced instability in the transition temperature of $Tl_2Ba_2CuO_{6+\delta}$ single crystals **229**, 346
Liu, H.K., R.K. Wang and S.X. Dou, TEM study of microstructures of longitudinal cross-section of Ag-clad Bi-based (2223) tapes **229**, 39
Liu, H.K., see D.N. Matthews **229**, 403
Liu, X.-M., see L.-B. Wang **229**, 263
Lobb, C.J., see M. Rajeswari **229**, 258
Lobotka, P., I. Vávra, R. Senderák, D. Machajdík, M. Jergel,

Š. Gaži, E. Rosseel, M. Baert, Y. Bruynseraede, M. Forsthuber and G. Hilscher, Commensurate vortex lattice in superconducting Nb/Ti multilayers **229**, 231
Loebich, O., see H.R. Khan **229**, 165
Lu, J.H., see L.C. Ku **229**, 320
Luzuriaga, J., see D.S. Rodríguez **229**, 59

Machajdík, D., see P. Lobotka **229**, 231
Maiti, H.S., see A. Sen **229**, 188
Majewski, P., H.-L. Su and F. Aldinger, The oxygen content of the high-temperature superconducting compound $Bi_{2+x}Sr_{3-y}Ca_yCu_2O_{8+d}$ as a function of the cation concentration **229**, 12
Manuel, A.A., see B. Barbiellini **229**, 113
Mao, S.N., see M. Rajeswari **229**, 258
Maple, M.B., see H.W. Zandbergen **229**, 29
Maple, M.B., see J.L. Sarrao **229**, 65
Mason, T.O., see T. Kamiyama **229**, 377
Massidda, S., see B. Barbiellini **229**, 113
Matsui, Y., see M. Uehara **229**, 310
Matthews, D.N., K.-H. Müller, C. Andrikidis, H.K. Liu and S.X. Dou, The effect of silver on the voltage–current characteristics of silver-sheathed PBSCCO superconducting tapes **229**, 403
Merisalo, M.J., see V.N. Molchanov **229**, 331
Mikhailovsky, A.A., see O.V. Dolgov **229**, 396
Miller, D.J., see Z.F. Ren **229**, 137
Min, J.R., J.K. Liang, X.L. Chen, C. Wang, C. Dong and G.H. Rao, The effects of chemical substitutions on the (Pb, Cd)-1212 superconducting cuprates **229**, 169
Mironov, V.S., see V.N. Molchanov **229**, 331
Miura, T., see S. Ikegawa **229**, 280
Molchanov, V.N., R.A. Tamazyan, V.I. Simonov, M.K. Blomberg, M.J. Merisalo and V.S. Mironov, Structure and superconductivity in $Tl_2Ba_2CaCu_2O_8$ **229**, 331
Mori, N., see M. Uehara **229**, 310
Mosqueira, J., J.A. Veira and F. Vidal, Thermopower peak anomaly near the superconducting transition in $Y_1Ba_2Cu_3O_{7-\delta}$ compounds and critical temperature inhomogeneities **229**, 301
Motoi, Y., see S. Ikegawa **229**, 280
Muller, J., see A. Junod **229**, 209
Müller, K.-H., see D.N. Matthews **229**, 403

Nagata, Y., see M. Kosugi **229**, 389
Naito, M. and H. Sato, Reflection high-energy electron diffraction study on the $SrTiO_3$ surface structure **229**, 1
Nakata, H., see M. Uehara **229**, 310
Niculescu, H., R. Schmidmeier, B. Topolski and P.J. Gielisse, Shielding effects in ceramic superconductors **229**, 105
No, K.-S., see C.-H. Cho **229**, 129

Ohara, M., see Y. Idemoto **229**, 361

Paulikas, A.P., see T.R. Chien **229**, 273
Peng, J.L., see M.S. Hegde **229**, 239
Peng, N.-H. and W.-Y. Liang, Low-temperature annealing induced superconducting and non-superconducting phase transition in the $LaBa_2Cu_3O_{7-\delta}$ compounds **229**, 268
Peter, F., see C.L. Jia **229**, 325
Peter, M., see B. Barbiellini **229**, 113

Rainford, B.D., see D.T. Adroja **229**, 193
Rajeswari, M., A.W. Smith, S.N. Mao, T. Clinton, S. Bhattacharya, J. Hamilton, C.J. Lobb and T. Venkatesan, Critical current anisotropy in epitaxial $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ thin films **229**, 258
Rao, G.H., see J.R. Min **229**, 169
Ren, Z.F., J.H. Wang, D.J. Miller and K.C. Goretta, Relationship between grain connectivity, alignment, and critical current density in high-temperature superconducting bulk materials **229**, 137
Ren, Z.F., see R.N. Bhattacharya **229**, 145
Revaz, B., see A. Junod **229**, 209
Rodríguez, D.S., E. Rodríguez, J. Luzuriaga, J.V. Waszczak and S.-W. Cheong, Role of anisotropy in the vortex lattice of superconductors High-Q oscillator measurements in 2H-$NbSe_2$ and $La_{1.825}Sr_{0.075}CuO_4$ **229**, 59
Rodríguez, E., see D.S. Rodríguez **229**, 59
Rosseel, E., see P. Lobotka **229**, 231

Salje, E.K.H., see Y. Yagil **229**, 152
Sarrac, J.C., see H.W. Zandbergen **229**, 29
Sarrao, J.L., M.C. De Andrade, J. Herrmann, S.H. Han, Z. Fisk, M.B. Maple and R.J. Cava, Superconductivity to 21 K in intermetallic thorium-based boride carbides **229**, 65
Sato, H., see M. Naito **229**, 1
Schmidmeier, R., see H. Niculescu **229**, 105
Schmidt, H. and H.F. Braun, Effect of pressure on superconductivity in the quaternary compounds $RENi_2B_2C$ (RE=Lu, Y, Tm, Er, Ho) **229**, 315
Schulze, W.A., see S. Gopalakrishnan **229**, 372
Sciutti, A., see H.R. Khan **229**, 165
Seabaugh, M., see T. Kamiyama **229**, 377
Sen, A. and H.S. Maiti, Mechanism of silver-induced enhanced synthesis of $Y_1Ba_2Cu_3O_{7-x}$ **229**, 188
Senderák, R., see P. Lobotka **229**, 231
Shaked, H., see T. Kamiyama **229**, 377
Shin, W.-S., see C.-H. Cho **229**, 129
Simonov, V.I., see V.N. Molchanov **229**, 331
Smith, A.W., see M. Rajeswari **229**, 258
Su, H.-L., see P. Majewski **229**, 12
Su, L.Y., C.R.M. Grovenor, M.J. Goringe, C.D. Dewhurst, D.A. Cardwell, R. Jenkins and H. Jones, Fabrication and properties of TBCCO films via air-atomising spray deposition of thallium-free precursors **229**, 70

Takahashi, H., see T. Kamiyama **229**, 377
Takano, M., see K. Yamaura **229**, 183
Tamazyan, R.A., see V.N. Molchanov **229**, 331
Theuss, H. and H. Kronmüller, Analysis of magnetic relaxation in type-II superconductors **229**, 17
Tokura, Y., see M. Uehara **229**, 310
Topolski, B., see H. Niculescu **229**, 105

Triscone, G., see B. Barbiellini **229**, 113
Triscone, G., see A. Junod **229**, 209
Tsukamoto, T., see A. Junod **229**, 209
Tulina, N.A., Failure of a spectrometric regime of a point-contact and the problem of observation of the Andreev reflection in HTSC **229**, 157

Uchida, T., see M. Kosugi **229**, 389
Uehara, M., M. Uoshima, S. Ishiyama, H. Nakata, J. Akimitsu, Y. Matsui, T. Arima, Y. Tokura and N. Mori, A new homologous series of oxycarbonate superconductors $Sr_2(Ca,Sr)_{n-1}Cu_n(CO_3)_{1-x}(BO_3)_xO_y$ ($n=1$, 2 and 3) **229**, 310
Uoshima, M., see M. Uehara **229**, 310
Urban, K., see C.L. Jia **229**, 325

Van der Marel, D., see O.V. Dolgov **229**, 396
Van Zwet, E.J., see H.W. Zandbergen **229**, 29
Vávra, I., see P. Lobotka **229**, 231
Veal, B.W., see T.R. Chien **229**, 273
Veira, J.A., see J. Mosqueira **229**, 301
Venkatesan, T., see M. Rajeswari **229**, 258
Vidal, F., see J. Mosqueira **229**, 301
Volkozub, A.V., see D.T. Adroja **229**, 193

Walker, E., see A. Junod **229**, 209
Wang, C., see J.R. Min **229**, 169
Wang, C.A., see R.N. Bhattacharya **229**, 145
Wang, J.H., see Z.F. Ren **229**, 137
Wang, J.H., see R.N. Bhattacharya **229**, 145
Wang, K.-Q., see A. Junod **229**, 209
Wang, L.-B., W.-B. Wu, J.-S. Zhu, X.-M. Liu, X.-G. Li, G.-E. Zhou and Y.H. Zhang, Effect of γ-ray irradiation on the valence state of bismuth and copper in Bi-based superconductors **229**, 263
Wang, R.K., see H.K. Liu **229**, 39
Wang, S.Y., see L.C. Ku **229**, 320
Wang, X.-M., see S.-Y. Lin **229**, 346
Wang, Y.-P., see S.-Y. Lin **229**, 346
Waszczak, J.V., see D.S. Rodríguez **229**, 59
Wu, C.Y., see J.C. Ho **229**, 351
Wu, M.K., see J.C. Ho **229**, 351
Wu, W.-B., see L.-B. Wang **229**, 263

Xing, W., see P.D. Grant **229**, 289
Xu, X.Q., see M.S. Hegde **229**, 239
Xu, Y.-H., see C.L. Jia **229**, 325
Xu, Y.H., see J.C. Ho **229**, 351

Yagil, Y. and E.K.H. Salje, Above T_c phonon renormalization in $La_{1.85}Sr_{0.15}CuO_4$ **229**, 152
Yamaura, K., Z. Hiroi and M. Takano, High-pressure synthesis of an oxide carbonate superconductor with a T_c of 92K in the Ca–Sr–Cu–C–O system **229**, 183
Yang, H.C., see L.C. Ku **229**, 320
Yao, Y.S., see Z.X. Zhao **229**, 35
Ying, F., see S.-Y. Lin **229**, 346

Zandbergen, H.W., E.J. Van Zwet, J.C. Sarrac, M.C. De Andrade, J. Hermann, S.H. Han, Z. Fisk, M.B. Maple and R.J. Cava, HREM on $T_c=14.5$ K superconducting $ThPd_2B_{2-x}C$ **229**, 29
Zhang, B., see H.R. Khan **229**, 165
Zhang, D.-L., see S.-Y. Lin **229**, 346
Zhang, H., see M.S. Hegde **229**, 239
Zhang, Y.H., see L.-B. Wang **229**, 263
Zhao, Z.X., X.J. Zhou, J.Q. Li and Y.S. Yao, Superconductivity and structure of infinite-layer compounds **229**, 35
Zhou, G.-E., see L.-B. Wang **229**, 263
Zhou, H., see P.D. Grant **229**, 289
Zhou, X.J., see Z.X. Zhao **229**, 35
Zhu, J.-S., see L.-B. Wang **229**, 263
Zoli, M., Anharmonic vibrations of apex oxygen atom in $YBa_2Cu_3O_{7-\delta}$ and doping effects on the out-of-plane electrical resistivity **229**, 99

ELSEVIER

Physica C 229 (1994) 415–416

PHYSICA C

Analytic Subject Index to Volume 229

AC susceptibility 105, 165, 231, 355
Ag addition 177
Ag foil 145
Ag–PB–Bi–Sr–Ca–Cu–O 403
Andreev reflection 157
Anharmonicity 99
Anisotropic superconductor 59, 258, 273
Antiferromagnetic order 79
Antiferromagnetic Pr ordering 351
Applications of high-T_c superconductors 39, 129, 244, 355, 403
Au addition 177

Band structure
–of $Tl_2Ba_2CuO_6$ 113
BCS model 79, 396
Bismuth valence 47

Ca–Sr–Cu–C–O system 183
Copper valence 47, 361
Critical current anisotropy 258
Critical current density 70, 90, 137, 244, 289
Critical phenomena 301
Critical state model 105

Defect structures 39, 90
Dislocations 90

Electrical resistivity 65, 99, 251, 268, 301
Electrodeposition 145
Electron diffraction 325
Electron-doped superconductor 377
Electronic structure 263
Electron–phonon coupling 99
Electron-phonon coupling 152
Electron–proton momentum density
–in $Tl_2Ba_2CuO_6$ 113
Energy gap 157, 389

Fermi surface investigation 113
Fluctuation effects 209
Flux dynamics 17, 355
Flux lattice 231
Flux pinning 17, 59, 90, 289, 403
Formation
–of Bi–Sr–Ca–Cu–O 124

Grain alignment 137
Grain boundaries 39
Granular superconductivity 70, 105, 137

Hall effect 280
Heavy-fermion compounds 79
High-pressure effect 65, 315, 346, 377
High-pressure synthesis 183
High-resolution electron microscopy 325
HREM 29, 35, 310

Infrared spectroscopy 152
Ionic defect 47
Irradiation effect 268

Josephson effect 320

Lattice parameters 169, 177, 239, 331
Lower critical field H_{c1} 193

Magnetic interaction 315
Magnetic relaxation 17
Magnetic shielding 105
Magnetic susceptibility 251
Magnetization 65, 105, 209, 289
Mechnical oscillator 59
Microstrip line 129
Microstructure 325
Multilayers 231

Neutron diffraction 377
Non-ohmic behaviour 403

Optical spectroscopy 396
O–T transition 268
Oxide carbonate superconductor 183
Oxide surface 1
Oxycarbonate superconductor 310
Oxygen stoichiometry 12, 99, 268, 273, 361

Pb–Sr–Dy–Ca–Cu–O 280
Peak effect 59
Penetration depth 273
Phase diagram 47
Phase stability 372
Phonon spectrum 389, 396
Pinning force 90
Point-contactspectroscopy 157

RHEED 1, 280

Shapiro steps 320
Silver-superconductor composite 188
Specific heat
–of URu_2Si_2 79
Specific heat, low-T 209
Specific heat at T_c 209
Specific heat in magnetic fields 209
Specific heat low T and linear coefficient 351
Spin gap 152
SQUID 320
Structural phase transition 35, 331, 346
Structure
–of Bi–Pb–Sr–Ca–Cu–O 177
–of $HgBa_2CuO_{4+\delta}$ 165
–of $Nd_{2-x}Ce_xCuO_4$ ($x=0$ and 0.165) 377
–of $ThPd_2B_{2-x}C$ 29
–of $Tl_2Ba_2CaCu_2O_8$ 331
–of $Tl_2Ba_2CuO_{6+\delta}$ 346
Substitution effects
–in $Bic_{2+x}Sr_{3-y}Ca_yCu_2O_{8+d}$ 12
–in Bi–Pb–Sr–Ca–Cu–O 177
–in $(Ca_{1-x}Sr_x)_{1-y}Na_yCuO_2$ 251
–in $La_{2-x}M_xM'Cu_2O_y$ 361
–in $LaBa_2Cu_3O_{7-\delta}$ 268
–in $(Pb_{0.5}Cd_{0.5})SR_2(Y_{1-x}Ca_x)Cu_2O_7$ 169

–in $(Pb_{0.5}Cd_{0.5})Sr_{2-y}(Y_{0.5+y}Ca_{0.5})Cu_2O_7$ 169
–in $(Pb_{0.5}Cd_{0.5})Sr_{2-z}(Y_{0.5}Ca_{0.5+z})Cu_2O_7$ 169
–in $RENi_2B_2C$ (RE=Lu, Y, Tm, Er, Ho) 315
–in $Yb_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 239
Surface impedance 129
Surface reconstruction
–on $SrTiO_3$ 1
Synthesis
–of $Bi_2Sr_2CaCu_2O_8$ 372
–of $Bic_{2+x}Sr_{3-y}Ca_yCu_2O_{8+d}$ 12
–of Bi–Sr–Ca–Cu–O 124
–of $HgBa_2CuO_{4+\delta}$ 165
–of (SR,ND)CuO_2 35
–of $Sr_2(Ca,SR)_{n-1}Cu_n(CO_3)_{1-x}(BO_3)_xO_y$ 310
–of ThM_2B_2C 65
–of Tl–Ba–Ca–Cu–O 70, 244
–of $Y_1Ba_2Cu_3O_{7-x}$ 188
–of Y–Pd–B–C 193

Thallium oxide superconductors 145
Thermoelectric effects 301
Thin films 70, 129, 251, 280, 289
TlBaCaCuO 289
Tunneling 99, 389
Type II superconductor 193

Upper critical field H_{c2} 193
Vortex lattice 59

XPS 263
X-ray diffraction 137, 165, 193, 239, 331

$YBa_2Cu_3O_7$ 289
YBaCuO 129
YPdBC 325

ELSEVIER

Physica C 229 (1994) 417

PHYSICA C

Materials Index to Volume 229

$Bi_2Sr_2CaCu_2O_8$
–Synthesis 372
Bi–Pb–Sr–Ca–Cu–O
–Structure 177
–Substitution effects 177
Bi–Sr–Ca–Cu–O
–Formation 124
–Synthesis 124

$HgBa_2CuO_{4+\delta}$
–Structure 165
–Synthesis 165

$LaBa_2Cu_3O_{7-\delta}$
–Substitution effects 268

$Nd_{2-x}Ce_xCuO_4$
–*Structure* 377

$(Pb_{0.5}Cd_{0.5})SR_2(Y_{1-x}Ca_x)Cu_2O_7$
–Substitution effects 169
$(Pb_{0.5}Cd_{0.5})Sr_{2-y}(Y_{0.5+y}Ca_{0.5})Cu_2O_7$
–Substitution effects 169
$(Pb_{0.5}Cd_{0.5})Sr_{2-z}(Y_{0.5}Ca_{0.5+z})Cu_2O_7$
–Substitution effects 169

(RE=Lu,
–Substitution effects 315

$Sr_2(Ca,SR)_{n-1}Cu_n(CO_3)_{1-x}(BO_3)_xO_y$
–Synthesis 310
$SrTiO_3$
–Surface reconstruction 1

ThM_2B_2C
–Synthesis 65
$ThPd_2B_{2-x}C$
–Structure 29

$Tl_2Ba_2CaCu_2O_8$
–Structure 331
$Tl_2Ba_2CuO_6$
–Band structure 113
–Electron–proton momentum density 113
$Tl_2Ba_2CuO_{6+\delta}$
–Structure 346
Tl–Ba–Ca–Cu–O
–Synthesis 70, 244

URu_2Si_2
–Specific heat 79

$Y_1Ba_zCu_3O_{7-x}$
–Synthesis 188
Y–Pd–B–C
–Synthesis 193